



RECEIVED

AUG 31 1977

GROUP 290

GENERAL INFORMATION

All chandeliers are supplied with matching wood canopies 5½" square.

All chandeliers are supplied with 3' chain and 10' wire. Additional chain or wire is available at \$3.00 a foot.

Fixtures are labeled U.L. and are complete for installation.

Lamps are not included in prices and are not supplied.

TERMS AND CONDITIONS

Shipping:

All fixtures are shipped F.O.B. Kirkland, Washington. We are not responsible for abuse during shipping or installation. Freight damages, concealed or otherwise, must be claimed by the consignee within 10 days to the carrier. Unless otherwise instructed, we will use our discretion in choice of carriers.

Returns:

No merchandise may be returned to Charles Loomis, Inc. without our written consent. A 25% restocking charge will be made on authorized returns. Special order items are not subject to return.

Terms:

Terms are net thirty days from date of invoice. Interest will be charged on accounts over thirty days. New accounts are requested to furnish credit references when ordering.

We reserve the right to change prices, specifications and design at any time and without notice.

Custom orders require 50% deposit with the balance due upon completion. Custom orders are not subject to cancellation.

Guarantee:

All fixtures are free from defects when shipped.

If within one year from date of shipment it is determined by Charles Loomis, Inc. that any of our products have proven defective in manufacturing or workmanship, it should be properly packaged and returned at the buyer's expense to the factory. The merchandise will be repaired or replaced and returned at our expense.

OPTIONS

WOOD:

White Oak
Western Red Cedar/Redwood

WOOD FINISHES:

White Oak
Prefinished:
Light Oak; Clear Satin Lacquer
Dark Oak; Watco Dark Walnut Oil w/Clear Satin Lacquer
Unfinished: Deduct 8%
Other finishes: Add 7% (minimum charge of \$5.00)

Western Red Cedar/Redwood

Prefinished:
710; Olympic Stain Color
721; Olympic Stain Color
902; Olympic Stain Color

Unfinished: Deduct 8%
Other finishes: Add 7% (minimum charge of \$5.00)

METAL FINISHES:

Brass
Oxidized and sealed with lacquer. No other finishes are available.

ACRYLIC:

Matt White (MW)
Seedy Amber (SA)
Bronze (BR)

NOTE: See individual fixture specifications for options available.

ORDERING INFORMATION

The following information should be stated on all orders:

- 1) Catalog number
- 2) Wood
- 3) Finish
- 4) Acrylic
- 5) Overall Drop (Height dimensions are measured from top of fixture or fixture stem to bottom of fixture.)

Charles Loomis Lighting
12421 N.E. 124th Street
Kirkland, Washington 98033
(206) 822-5442

LLB1'98 by [signature]

Art Direction: Rick Ballard
Design: Carol Allen
Photography: Jim Cummings
Printed in USA

Charles Loomis Lighting
12421 N.E. 124th Street
Kirkland, Washington 98033
(206) 822-5442

3100

O.A. height 18", O.A. width 7",
extends from wall 6¼",
Exterior wall bracket, mounted
15" from bottom.
Cedar/Redwood and matt white acrylic.
One 40w. A, not to exceed 60w.
Wet location label.
Shipping weight 5 lbs.

3114

O.A. height 12", O.A. width 7",
extends from wall 9",
Interior wall bracket, mounted
4½" from bottom.
Oak and oxidized brass.
Up light: one 25w. G-40, not to
exceed 60w.
Down light: one 30w R-20, not
to exceed 50w.
Shipping weight 6 lbs.

3116

O.A. height 18", O.A. width 6",
extends from wall 6",
Exterior wall bracket, mounted
12½" from bottom.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w. A clear, not to exceed 75w.
Wet location label.
Shipping weight 5 lbs.
ALSO available as an interior or
exterior hanging fixture with the
same dimensions, Cat. #4116, damp
location label.

3117

O.A. height 18", O.A. width 6",
extends from wall 6",
Exterior wall bracket, mounted
12½" from bottom.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w. A clear, not to exceed 75w.
Wet location label.
Shipping weight 5 lbs.
ALSO available as an interior or
exterior hanging fixture with the
same dimensions, Cat. #4117, damp
location label.

3118

O.A. height 18", O.A. width 6",
extends from wall 6",
Exterior wall bracket, mounted
12½" from bottom.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w. A clear, not to exceed 75w.
Wet location label.

3700-13 (not shown—same design 3700-10)

O.A. height 13", O.A. width 6",
extends from wall 9",
Interior wall bracket, mounted
6½" from bottom.
Oak or Cedar/Redwood.
Up light: one 75w. R-30, not to
exceed 75w.
Down light: one 75w. R-30, not
to exceed 75w.
Shipping weight 10 lbs.

3800

O.A. height 12½", O.A. width 5½",
extends from wall 7",
Interior wall bracket, mounted
4¼" from bottom.
Oak and bronze acrylic.
Up light: one 25w. T-10, not to
exceed 25w.
Down light: one 30w. R-20, not
to exceed 50w.
Shipping weight 5 lbs.

4006

O.A. height 10½", O.A. dia. 11",
Interior pendant.
Oak or Cedar/Redwood.
6" Globe.
One, A, not to exceed 60w.
Shipping weight 8 lbs.

4008 (not shown—same design 4006)

O.A. height 12½", O.A. dia. 14",
Interior pendant.
Oak or Cedar/Redwood.
8" Globe.
One, A, not to exceed 100w.
Shipping weight 16 lbs.

4006-T (not shown—same design 4008-T)

O.A. height 19½", O.A. dia. 11",
Interior pendant.
Oak or Cedar/Redwood.
6" Globe.
One, A, not to exceed 60w.
Shipping weight 14 lbs.

4008-T

O.A. height 26", O.A. dia. 14",
Interior pendant.
Oak or Cedar/Redwood.
8" Globe.
One, A, not to exceed 100w.
Shipping weight 20 lbs.

4030

O.A. height 23", O.A. dia. 20",
Interior pendant.
Oak and oxidized brass.
Four 40w. G-40, not to exceed 60w.
Shipping weight 24 lbs.

4114

O.A. height 31½", O.A. dia. 28",
Interior pendant.
Oak and oxidized brass.
Up light: four 25w. G-40, not
to exceed 60w.
Down light: four 30w. R-20, not
to exceed 50w.
Shipping weight 30 lbs.

4175

O.A. height 20", O.A. dia. 23",
Interior pendant.
Oak and oxidized brass.
Up light: four 25w. G-40, not
to exceed 50w.
Down light: from 30w. R-20, not
to exceed 50w.
Shipping weight 18 lbs.

4218 (not shown—see 3218)

O.A. height 18", O.A. width 7",
O.A. depth 7",
Interior or exterior pendant.
Cedar/Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w. A clear, not to exceed 75w.
Damp location label.
Shipping weight 5 lbs.

4226

O.A. height 26", O.A. width 10",
O.A. depth 10",
Interior pendant.
Cedar/Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w. G-40, not to exceed 100w.
Shipping weight 12 lbs.

4530

O.A. height 39", O.A. width 21",
O.A. depth 21",
Interior pendant.
Oak, bronze acrylic, and oxidized brass.
Four 40w. G-40, not to exceed 60w.
Shipping weight 60 lbs.

4533

O.A. height 34",
O.A. width 15", O.A. depth 15",
Interior pendant.
Oak, bronze acrylic, and oxidized brass.
Four 40w. G-25, OR four 40w. T-10,
not to exceed 60w.
Shipping weight 35 lbs.

4600

O.A. height 19½", O.A. dia. 21",
Interior pendant.
Oak or Cedar/Redwood.
Four 40w. G-40, not to exceed 60w.
Shipping weight 14 lbs.

4704

O.A. height 21", O.A. dia. 22½",
Interior pendant.
Oak or Cedar/Redwood.
Up light: four 30w. R-20, not to
exceed 50w. OR four, A, not
to exceed 25w.
Down light: four 30w. R-20, not
to exceed 50w.
Shipping weight 22 lbs.

Shipping weight 5 lbs.
ALSO available as an interior or exterior hanging fixture with the same dimensions, Cat. #4118, damp location label.

3116-24 (not shown—see 4116-24)

O.A. height 24", O.A. width 9",
extends from wall 9".
Exterior wall bracket, mounted
17" from bottom.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, G-40, not to exceed 100w.
Wet location label.
Shipping weight 12 lbs.

3118-24 (not shown—see 4118-24)

O.A. height 24", O.A. width 9",
extends from wall 9".
Exterior wall bracket, mounted
17" from bottom.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, G-40, not to exceed 100w.
Wet location label.
Shipping weight 12 lbs.

3175

O.A. height 12", O.A. width 5½",
extends from wall 7".
Interior wall bracket, mounted
4¾" from bottom.
Oak or Cedar/Redwood and oxidized brass.
Up light: one 25w, G-40, not to
exceed 60w.
Down light: one 30w, R-20, not to
exceed 50w.
Shipping weight 5 lbs.

3218

O.A. height 18", O.A. width 7",
extends from wall 6½".
Exterior wall bracket, mounted
12½" from bottom.
Cedar/Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
Wet location label.
Shipping weight 5 lbs.
ALSO available as an interior or
exterior hanging fixture with the
same dimensions, Cat. #4218, damp
location label.

3240

O.A. height 8", O.A. width 5½",
extends from wall 5".
Interior wall bracket, mounted
4" from bottom.
Oak or Cedar/Redwood and oxidized brass.
Two 40w, G-25 OR
two 25w, T-10, not to exceed 60w.
Shipping weight 4 lbs.

3600

O.A. height 12", O.A. width 5½",
extends from wall 6".
Interior wall bracket, mounted
3¼" from bottom.
Oak or Cedar/Redwood.
One 40w, G-40, not to exceed 60w.
Shipping weight 4 lbs.

3700-10

O.A. height 10", O.A. width 5½",
extends from wall 7".
Interior wall bracket, mounted
5" from bottom.
Oak or Cedar/Redwood.
Up light: one 30w, R-20, not to exceed
50w, OR one A, not to exceed 25w.
Down light: one 30w, R-20, not to
exceed 50w.
Shipping weight 5 lbs.

4115

O.A. height 20", O.A. width 9",
O.A. depth 9".
Interior pendant.
Oak or Cedar/Redwood and bronze
acrylic.
One 40w, G-40, not to exceed 100w.
Shipping weight 11 lbs.

4115-36

O.A. height 36", O.A. width 12",
O.A. depth 12".
Interior pendant.
Oak and bronze acrylic.
Four 40w, T-10, not to exceed 75w.
Shipping weight 28 lbs.

4116 (not shown—see 3116)

O.A. height 18", O.A. width 6",
O.A. depth 6".
Interior or exterior pendant.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, A clear, not to exceed 75w.
Damp location label.
Shipping weight 5 lbs.

4117 (not shown—see 3117)

O.A. height 18", O.A. width 6",
O.A. depth 6".
Interior or exterior pendant.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, A clear, not to exceed 75w.
Damp location label.
Shipping weight 5 lbs.

4118 (not shown—see 3118)

O.A. height 18", O.A. width 6",
O.A. depth 6".
Interior or exterior pendant.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, A clear, not to exceed 75w.
Damp location label.
Shipping weight 5 lbs.

4116-24 (not shown—same 4118-24 w/o center post)

O.A. height 24", O.A. width 9",
O.A. depth 9".
Interior or exterior pendant.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, G-40, not to exceed 100w.
Damp location label.
Shipping weight 12 lbs.
ALSO available as a wall bracket with
the same dimensions, Cat. #3116-24,
wet location label.

4118-24

O.A. height 24", O.A. width 9",
O.A. depth 9".
Interior or exterior pendant.
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, G-40, not to exceed 100w.
Damp location label.
Shipping weight 12 lbs.
ALSO available as a wall bracket with
the same dimensions, Cat. #3118-24,
wet location label.

4130

O.A. height 29½", O.A. width 12",
O.A. depth 12".
Interior pendant.
Cedar/Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, G-40, not to exceed 100w.
Shipping weight 24 lbs.

4700 (4704 extended)

O.A. height 21", O.A. width 22½",
O.A. length 31½".
Interior pendant.
Oak or Cedar/Redwood.
Up light: six 30w, R-20, not
to exceed 50w,
OR six, A, not
to exceed 25w.
Down light: six 30w, R-20, not
to exceed 50w.
Shipping weight 30 lbs.

4804

O.A. height 20½", O.A. dia. 22".
Interior pendant.
Oak and bronze acrylic.
Up light: four 25w, T-10, not to
exceed 25w.
Down light: four 30w, R-20, not
to exceed 50w.
Shipping weight 20 lbs.

4806 (4804 extended)

O.A. height 20½", O.A. width 22",
O.A. length 30¾".
Interior pendant.
Oak and bronze acrylic.
Up light: six 25w, T-10, not to
exceed 25w.
Down light: six 30w, R-20, not
to exceed 50w.
Shipping weight 28 lbs.

5116*

O.A. height 18", O.A. width 6",
O.A. depth 6".
Exterior post head
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, A clear, not to
exceed 75w.
Wet location label.

5117*

O.A. height 18", O.A. width 6",
O.A. depth 6".
Exterior post head
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, A clear, not to
exceed 75w.
Wet location label.

5118*

O.A. height 18", O.A. width 6",
O.A. depth 6".
Exterior post head
Redwood and acrylic.
Acrylic: bronze; matt white or
seedy amber optional.
One 60w, A clear, not to
exceed 75w.
Wet location label.



*Post heads attach to ½" conduit
and are available separately.
Posts are available in lengths of
9", 21", 33", 45" and 57"; mounting
is direct burial of an internal post.

INCLINE

O.A. height 30", O.A. width 5",
O.A. length 30".
Oak.
One 25w, G-25, OR one 30w, R-20,
not to exceed 50w.
Shipping weight 25 lbs.


MULTIPLE SPHERES

O.A. height 36", O.A. width 7",
O.A. depth 7".
Oak.
One 25w, G-40, not to exceed 60w.
Shipping weight 22 lbs.







4600




4114




3600




3240




3114




3175



4175




4118-24



4130




4115-36




4530



4533



4226




3700-10



3800



4704




4804




3400



3100




3218



5116

5117


5118



3117



3118




4115



4006



3116



4030




4008-T

It is with great pleasure that I present this collection of lighting designs. Since 1968 I have been designing and building wood lighting fixtures to blend with and compliment today's architecture and interiors. A growing awareness of the need for well designed lighting provided inspiration for the development of this unique and functional line. Under my direction, individual craftsmen sensitively transform materials of natural beauty into clean contemporary architectural statements. Here is a refreshing approach to lighting which has been the foundation of our success. Inquiries for adaptations of these and other designs are welcome.

Charles M. Loomis

Charles Loomis Lighting
12421 N.E. 124th Street
Kirkland, Washington 98033
(206) 822-5442



INCLINE



**MULTIPLE
SPHERES**

